

FEB 22 2006

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Appl. No. : 10/751,561 Confirmation No. 2405
Applicant (s) : Garret F. Geer et al.
Filed : 5 January 2004
TC/A.U. : 3635
Examiner : Yvonne Michele Horton
Title : UNITARY ATTIC RAFTER VENT AND INSULATION DAM
ASSEMBLY
Docket No. : 62870B
Customer No. : 00109

CERTIFICATION OF FACSIMILE TRANSMISSION
I HEREBY CERTIFY THAT THIS PAPER IS BEING FACSIMILE TRANSMITTED TO THE U.S. RECEIVING OFFICE ON THE DATE SHOWN BELOW:
Amber K. Mobley
DATE OF DEPOSIT
February 22, 2006
PRINT OR TYPE NAME OF PERSON SIGNING CERTIFICATE
<i>Amber K. Mobley</i>
SIGNATURE OF PERSON SIGNING CERTIFICATE
<i>February 22, 2006</i>
DATE OF SIGNATURE

Mail Stop Amendment
Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

Sir:

RESPONSE FOR CONTINUED EXAMINATION WITH AMENDMENT

This paper responds to the Official Action mailed 22 November 2005. The above Application includes pending Claims 1-26. The Office allows Claims 15-26 but rejects Claims 1-14 under 35 USC 103(a) of Title 35 United States Code (U.S.C.) as detailed below. The Office also objects to Claims 1-13 due to the recitation of "sufficient to" language in the claims. With this request for continuing examination, Applicants respectfully traverse the rejection of Claims 1-14 and objection of Claims 1-13. Applicants also respectfully ask the Office to reconsider Claims 1-14 in view of amendments and arguments presented below, withdraw the rejections and allow Claims 1-14 together with Claims 15-26 at an early date.

Amendments to the Claims are reflected in the listing of claims which begins on page 2 of this paper.

Remarks/Arguments begin on page 8 of this paper.

62870B

Page 1 of 12 Pages